

tuya.com



Smart IP Camera Catalogue 2020

Smart Camera, Smart Security

Special Edition

Connect directly with global suppliers
expo.tuya.com





In this product catalogue, we have selected *Smart IP Cameras from various suppliers*. If you're interested in any of them, simply click the link below the product name, which will then redirect you to the product detail page. *Click "Contact now" to get in touch with the suppliers.*

Contents

IPC.....	1
Top Ranking.....	1
Featured Exhibition Products.....	10
All Category.....	29
PTZ Camera.....	29
Positioning System.....	30
Floodlight Camera.....	40
Cube Camera (Baby Monitor).....	43
Cube Camera.....	45
Box Camera.....	53
Battery Camera.....	57
Video Doorbell.....	62
Door Lock.....	64
Top Ranking.....	64
Smart Lock.....	67
Wi-Fi Smart Lock.....	69
Smart Lock Box.....	70
Bluetooth Fingerprint Lock.....	71

[Back to Table of Contents →](#)

4/8CH Wireless NVR Kits

[Register and inquire to learn more →](#)



Automatic networking, simple, convenient and fast;



Strong wireless penetration, transmission up to 250 m;



High-definition infrared night vision, 24 hours security guard;



Certificate: CE/RoHS

Field of View: Horizontal 90° Vertical 62° Diagonal 120°

Audio Communication:

Sales Area: Global

Power Supply: NVR: DC 48V 2A IPC: DC 12V 1A

Storage Type: 8TB HDD (3.5 inch)/Cloud

Resolution: 1080P

Power Consumption: NVR<144W; IPC<7W

Storage:

Image Compression: H.265/H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 30 fps (1080P)

IR Distance: 30 m

Waterproof: IP65

Image Sensor: 1/2.9 High performance CMOS

Motion Detection: Support

Work Temperature: -10°C to 55°C

[Back to Table of Contents →](#)

Wireless Smart Camera Set

[Register and inquire to learn more →](#)



4ch 1080P Full HD wireless NVR kit



4ch synchronous preview recording and playback



1ch HDMI/1ch VGA output connected to display



Smart human motion detecting



Wireless transmission distance 100 m outdoor, and 50 m indoor



Automatic cascade function between Cameras, extend transmission distance



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/2A and DC 12V/1A

Storage Type: Hard disk/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 8 TB

Image Compression: H.264/H.265

Night Vision: Support

Indoor or Outdoor Use: Indoor or Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 15M

Waterproof: IP65

Image Sensor: 1/3.0 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless Camera

[Register and inquire to learn more →](#)



1 station works with 1/2/3/4
Cameras optional (Max 4pcs)



Support PIR alarm push to base
station ring 8pcs 850 nm LED IR
distance up to 8 m



Low power, remote wake-up by
PIR detection or app



Wireless transmission distance 100 m
outdoor



Includes 2 pcs 18650 battery 6000
mAh, standby working time 4-6
months



Certificate: CE/FCC/RoHS

Field of View: 130°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery/DC 5V/2A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

4CH 1080P Wireless Kit

[Register and inquire to learn more →](#)



1080P H.265+, Plug & Play,
2.0MP (1920x1080)



3.6 mm, lens, 4pcs Array LED, IR
distance 20 m



Outdoor waterproof



Wi-Fi connection, smartphone access



1 x 4 channel NVR with 4 x 2 MP bullet
cameras



Certificate: CE/FCC

Field of View: 130°

Audio Communication: Support

Sales Area: Global

Power Supply: 4pcs DC 12V/1A, 1pcs DC 12V/2A

Storage Type: Hard disk/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 4 TB

Image Compression: H.265+

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 20 m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Floodlight Camera

[Register and inquire to learn more →](#)



Support light control by app



Support white light



Face recognition



Two-way audio



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/2A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 24 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 30 m

Waterproof: IP65

Image Sensor: 1/3 CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Z5-Outdoor IPC

[Register and inquire to learn more →](#)



Auto-connection to Wi-Fi after power recovery



Support both local storage and cloud storage



Remote monitor



Night vision



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP66

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless 1080P Floodlight Camera

[Register and inquire to learn more →](#)



Support manual/PIR trigger turn on the siren



Metal shell, IP65



Adjustable floodlight brightness by app manual



Support 7x24h video recordings



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 110-220V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: Low

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C


[Back to Table of Contents →](#)

Smart Wireless 1080P Floodlight Camera

[Register and inquire to learn more →](#)



Support manual/PIR trigger turn on the siren



Metal shell, IP65



Adjustable floodlight brightness by app manual



Support 7x24h video recordings



Certificate: CE/FCC/RoHS

Field of View: 150°

Audio Communication: Two-way

Sales Area: Global

Power Supply: AC 110-240V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP PTZ Camera

[Register and inquire to learn more →](#)



Support Android/iOS system mobile devices



Remote real-time monitoring



Intelligent motion detection



Certificate: CE/FCC

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1920 (H) x 1080 (V)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Inch 2 Megapixel CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Indoor PT Camera

[Register and inquire to learn more →](#)



Auto tracking



Pan 355°, tilt 70°



Face recognition



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 6 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP20

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Lamp Camera

[Register and inquire to learn more →](#)



Support lamps



Special focus adjustment



Face recognition



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 6 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP20

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Indoor Fixed Camera

[Register and inquire to learn more →](#)



Auto tracking



Wide view angle



Face recognition



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 6 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP20

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Indoor PT Camera

[Register and inquire to learn more →](#)



Auto tracking



Pan 355°, tilt 90°



Face recognition



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 6 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP20

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

Wireless Video Doorbell

[Register and inquire to learn more →](#)



Customized wake-up mechanism,
long standby with one charge



Intercom voice change, automatic reply,
quick reply, more humane



Free choice of day and night
mode



Certificate:

Sales Area: Global

Resolution: 1080P

Image Compression: H.265/H.264

Image Frame Rate: 20 fps (1080P)

Image Sensor: 1/2.7 High performance CMOS

Field of View: Horizontal 123°, Vertical 67°, Diagonal 151°

Power Supply: 2pcs 18650 battery/DC 5V/2A

Power Consumption: < 500μA

Night Vision: Support

IR Distance: 7 m

Motion Detection: Support

Audio Communication: Two-way

Storage Type: Micro SD Card/Cloud

Storage: Up to 128 GB

Indoor or Outdoor Use: Indoor and outdoor

Waterproof: IP65

Work Temperature: -10°C to 55°C

[Back to Table of Contents →](#)

Indoor PTZ Camera Wi-Fi Mini Camera

[Register and inquire to learn more →](#)



Privacy mode



Auto-connection to Wi-Fi after power recovery



Remote monitor



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Pan Tilt Wi-Fi Smart Camera

[Register and inquire to learn more →](#)



Mini size



Remote monitor



Night vision



Motion detection



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Camera

[Register and inquire to learn more →](#)



Motion detection



Detection area option



PIR



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP66

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

C4-1080P-Indoor Fixed IPC

[Register and inquire to learn more →](#)



Mini size



Remote monitor



Night vision



Motion detection



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Floodlight Camera

[Register and inquire to learn more →](#)



Video alarm push



Night vision 5-10 m



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply:

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Floodlight Camera

[Register and inquire to learn more →](#)



Motion detection



Resolution 1080P



Video alarm push



Support local and cloud storage



Night vision



Two-way audio



Certificate: CE/FCC/RoHS

Field of View: 85°

Audio Communication: Two-way

Sales Area: Global

Power Supply:

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Doorbell

[Register and inquire to learn more →](#)



HD 1080P



170° wide view angle



2-way voice intercom



Night vision



Motion detection



Certificate: CE/FCC/RoHS

Field of View: 170°

Audio Communication: Two-way

Sales Area: Global

Power Supply:

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20° to 55°C

[Back to Table of Contents →](#)

Smart Wireless 1080P Indoor Cube Camera

[Register and inquire to learn more →](#)



1080P Full HD



130° wide viewing angle



Two-way audio



Motion detection



Local storage Micro SD card up to 128 GB



Support Tuya cloud storage



Certificate: CE/FCC/RoHS

Field of View: 130°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless 1080P PT Camera

[Register and inquire to learn more →](#)



1080P Full HD



100° wide viewing angle



Two-way audio



Motion detection



Local storage Micro SD card up to 128 GB



Support Tuya cloud storage



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless PT Camera

[Register and inquire to learn more →](#)



1080P Full HD



100° wide viewing angle



Two-way audio



Motion detection



Local storage Micro SD card up to 128 GB



Support Tuya cloud storage



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless Battery Doorbell Camera

[Register and inquire to learn more →](#)



1080P Full HD



122° wide viewing angle



Two-way audio



Motion detection



Support face recognition



Flexible installation without wiring



Certificate: CE/FCC/RoHS

Field of View: 122°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 3000mAh battery/DC 5V/2A

Storage Type: Cloud

Resolution: 1080P

Power Consumption:

Storage:

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 8 m

Waterproof: IPX4

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless 1080P Outdoor Bullet Camera

[Register and inquire to learn more →](#)



1080P Full HD



100° wide viewing angle



Two-way audio




Motion detection



IP65



Support local and Tuya cloud storage



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Outdoor Wi-Fi Smart Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Low power consumption, long battery life



Support both local storage and cloud storage



Two-way audio, noise canceling



IP65



Certificate: CE/FCC/RoHS

Field of View: 85°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Battery Camera

[Register and inquire to learn more →](#)



Hisilicon chipset



App wake-up and PIR wake-up



Wake-up response speed < 3s



Certificate: CE/FCC

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply:

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP PTZ Camera

[Register and inquire to learn more →](#)



1080P HD video



Remote monitoring



Two-way intercom



TF card storage



Support night vision



Certificate: CE/FCC

Field of View: 360°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Outdoor Bullet Camera

[Register and inquire to learn more →](#)



IR night vision



Weatherproof



Face recognition



Certificate: CE/FCC

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 12 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Home Indoor PTZ Wireless Mini IP Wi-Fi Camera with Cloud Storage

[Register and inquire to learn more →](#)



Auto-connection to Wi-Fi after power recovery



Remote monitoring



Support both local storage and cloud storage



Night vision



Two-way audio



Motion detection



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

2MP Indoor PTZ Camera

[Register and inquire to learn more →](#)



Auto-connection to Wi-Fi after power recovery



Remote monitoring



Support both local storage and cloud storage



Night vision



Two-way audio



Motion detection



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Smart PTZ Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Support both local storage and cloud storage



Motion tracking and motion detection



Two-way audio, noise canceling



Certificate: CE/FCC/RoHS

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 5 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Outdoor Smart Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Two-way audio, noise canceling



Motion tracking and motion detection



IP65



Support both local storage and cloud storage



Certificate: CE/FCC/RoHS

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 5 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Indoor Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Support both local and cloud storage



Motion tracking and detection



Two-way audio, noise canceling



Certificate: CE/FCC/RoHS

Field of View: 170°

Audio Communication: Two-way

Sales Area: Global

Power Supply: Cables

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Home Camera

[Register and inquire to learn more →](#)



1080P HD video



TF card storage



Remote monitoring



Support night vision



Two-way intercom



Certificate: CE/FCC

Field of View: 360°

Audio Communication: Two-way

Sales Area: Mexico/Australia/Brazil market protection

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Outdoor Wi-Fi IP PTZ Camera

[Register and inquire to learn more →](#)



1080P HD video



Support night vision



Remote monitoring



PIR detection



Two-way intercom



Certificate: CE/FCC

Field of View: 360°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Wi-Fi Smart Camera

[Register and inquire to learn more →](#)



Wire-free



Local & Cloud storage



Low power consumption



Two-way audio, noise cancellation



Certificate: CE/FCC/RoHS

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless Floodlight Camera

[Register and inquire to learn more →](#)



180° Advanced PIR motion detecting distance up to 15 m



Support PIR trigger/app control light switch



119° wide viewing angle



Adjustable floodlight brightness by app manual



Built-in 2.4 GHz Wi-Fi antenna



Support manual/PIR trigger turn on the siren



2pcs floodlights combination up to 1600 LM



Plastic shell, IP65



Certificate: CE/FCC/RoHS

Field of View: 132°

Audio Communication: Two-way

Sales Area: Global

Power Supply: AC 110-240V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.266

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.11 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Floodlight Camera

[Register and inquire to learn more →](#)



1080P HD video



IP54



Remote monitoring



Light control



Two-way intercom



Support night vision



TF card storage



PIR detection



Certificate: CE/FCC

Field of View: 140°

Audio Communication: Two-way

Sales Area: Exclusive sales in North America

Power Supply: AC 90-250V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 32 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof: IP54

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Flight2S

[Register and inquire to learn more →](#)



1080P HD video



Remote monitoring



Two-way intercom



TF card storage



IP54



Light control



Support night vision



PIR detection



Certificate: CE/FCC

Field of View: 140°

Audio Communication: Two-way

Sales Area: Exclusive sales in North America

Power Supply: AC 90-250V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 32 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof: IP54

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

NGTeco 1080P IP Camera Smart Wi-Fi Camera Baby Monitor

[Register and inquire to learn more →](#)



1080P Full HD



Two-way audio



Motion detection



Local & Cloud storage



Night vision

**1080P
Full HD**



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery/DC 5V/1.5A

Storage Type: Local/Cloud Storage

Resolution: 1080P

Power Consumption: 5 W

Storage: 128 GB TF card

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 30 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 2MP 1/2.9" CMOS

Motion Detection: Support

Work Temperature: 0°C to 55°C

[Back to Table of Contents →](#)

Baby Monitor

[Register and inquire to learn more →](#)



1080P HD video



TF card storage



Temperature and humidity acquisition



Support night vision



Remote monitoring



PIR detection



Two-way intercom



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: TBD

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Home Camera Baby Monitor

[Register and inquire to learn more →](#)



1080P HD video



Two-way intercom



Temperature and humidity acquisition



TF card storage



Remote monitoring



Support night vision



Certificate: CE/FCC

Field of View: 360°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Baby Monitor Camera

[Register and inquire to learn more →](#)



Built-in temperature detector



Built-in lullabies



Certificate: CE/FCC

Field of View: 110°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 6 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 25 fps (1080P)

IR Distance: 10 m

Waterproof: IP20

Image Sensor: 1/3 CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Wireless 1080P Indoor Cube Camera

[Register and inquire to learn more →](#)



1080P Full HD video quality



Smart human motion detecting



100° wide viewing angle



Support 7x24h video recordings



Built in 2.4 GHz Wi-Fi antenna



Local storage Micro SD card up to 128 GB



Two-way audio



Support Tuya cloud storage



6pcs 850 nm LED IR distance up to 8 m



Omnidirectional angle adjustable with bracket



Certificate: CE/FCC/RoHS

Field of View: 100°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.9 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Cube Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Support both local storage and cloud storage



Motion detection



Two-way audio, noise canceling



Certificate: CE/FCC/RoHS

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5A/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision:

Indoor or Outdoor Use: Indoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof:

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP Camera

[Register and inquire to learn more →](#)



720P wireless smart camera



Two-way intercom



Remote monitoring



TF card storage



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Exclusive sales in North America

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W Max

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/4" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP Camera

[Register and inquire to learn more →](#)



1080P wireless smart camera



Two-way intercom



Remote monitoring



TF card storage



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Exclusive sales in North America

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W MAX

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP Camera

[Register and inquire to learn more →](#)



1080P wireless smart Camera



Two-way intercom



Remote monitoring



TF card storage



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W MAX

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Indoor Wi-Fi IP Camera

[Register and inquire to learn more →](#)



1080P HD video



TF card storage



Remote monitoring



Support night vision



Two-way intercom



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Exclusive sales in North America

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W MAX

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Speed 6S (V300_8M) IP Camera

[Register and inquire to learn more →](#)



1080P HD video



TF card storage



Remote monitoring



Support night vision



Two-way intercom



Certificate: CE/FCC

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 2.5 W MAX

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof:

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

1080P Outdoor IP Camera HD Motion Detection Smart Home Wi-Fi Camera

[Register and inquire to learn more →](#)



Support both local storage and cloud storage



Remote monitor



Two-way audio



Motion detection



Certificate: CE/FCC

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 12V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP66

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

1080P Outdoor Wi-Fi Camera

[Register and inquire to learn more →](#)



Auto-connection to Wi-Fi after power recovery



Night vision



Support both local storage and cloud storage



Motion detection



Certificate: CE/FCC

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply: DC 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP66

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Outdoor Camera

[Register and inquire to learn more →](#)



Wire-free, quick and simple setup



Two-way audio, noise canceling



Motion detection



IP65



Support both local storage and cloud storage



Certificate: CE/FCC/RoHS

Field of View: 105°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 5V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 5 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Outdoor Box Camera

[Register and inquire to learn more →](#)



1080P HD video



IP65



Remote monitoring



Support night vision



Two-way intercom



PIR detection



TF card storage



Certificate: CE/FCC

Field of View: 100°

Audio Communication: Two-way

Sales Area: TBD for e-commerce platforms

Power Supply: DC 12V/1A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 4.5 W MAX (when the ICR switching 7.5 W)

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 1-25 fps

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Camera

[Register and inquire to learn more →](#)



1080P Full HD video quality



130° wide viewing angle



Built in 2.4 GHz Wi-Fi antenna



8pcs 850 nm LED IR distance up to 8 m



Low power, remote wake-up by PIR detection or app manual



Includes 2pcs 18650 battery 5200 mAh, standby working time 3-4 months



PIR motion detecting distance up to 8 m



Flexible installation without wiring



Certificate: CE/FCC/RoHS

Field of View: 131°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery/DC 5V/2A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.265

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/2.10 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Low Power Camera

[Register and inquire to learn more →](#)



Custom wake-up



Auto OTA upgrades



Output sound switch for safety



Small and exquisite



Certificate: CE/RoHS

Field of View: Horizontal 123°/ Vertical 67°/ Diagonal 151°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery/DC 5V/2A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: 500 uA Max

Storage: Up to 128 GB

Image Compression: H.265/H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 20 fps (1080P)

IR Distance: 7 m

Waterproof: IP65

Image Sensor: 1/2.7 High performance CMOS

Motion Detection: Support

Work Temperature: 10°C to 55°C

[Back to Table of Contents →](#)

Wi-Fi IP Camera

[Register and inquire to learn more →](#)



Rechargeable & Long standby time



Weatherproof



1080P HD



Two-way storage



Certificate: CE/FCC/RoHS

Field of View: 75°

Audio Communication: Two-way

Sales Area: Global

Power Supply:

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: (2 x 3000) 6000 mAh battery

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 10 m

Waterproof: IP65

Image Sensor: 1/3 Color CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Wi-Fi Outdoor Camera

[Register and inquire to learn more →](#)



1080P HD



PIR motion detection



Two-way audio, noise
cancellation



IP64



Certificate: CE/FCC/RoHS

Field of View: 120°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 4pcs AA battery/USB/DC 5V

Storage Type: Class 10 TF cards/Cloud storage

Resolution: 1080P

Power Consumption: Standby 0.05 W/ Wake-up 0.9 W/
Open IR LED 1.3 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 8 m

Waterproof: IP64

Image Sensor: 2MP 1/2.7" CMOS

Motion Detection: Support

Work Temperature: -10°C to 55°C

[Back to Table of Contents →](#)

2pcs 18650 Rechargeable Battery Camera

[Register and inquire to learn more →](#)



1080P HD



Two-way audio, noise cancellation



Low power consumption



IP65



Magnetic bracket wireless installation



Certificate: CE/FCC/RoHS

Field of View: 120°

Audio Communication: Two-way

Sales Area: Global

Power Supply: 2pcs 18650 battery battery/USB/DC 5V

Storage Type: Class 10 TF cards/Cloud storage

Resolution: 1080P

Power Consumption: Standby 0.05 W/Wake-up 1 W/Open IR LED 1.5 W

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Outdoor

Image Frame Rate: 15 fps (1080P)

IR Distance: 6 m

Waterproof: IP65

Image Sensor: 2MP 1/2.9" CMOS

Motion Detection: Support

Work Temperature: -10°C to 55°C

[Back to Table of Contents →](#)

Battery Doorbell

[Register and inquire to learn more →](#)



1080P wireless HD video doorbell



Two-way intercom



Support wireless and mechanical bell



Visitor call reminder



TF card storage



Certificate: CE/FCC

Field of View: 140°

Audio Communication: Two-way

Sales Area: Exclusive sales in Australia/Cross-border e-commerce exclusive sales

Power Supply: 2pcs 18650 battery/DC 5V/1.5A

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption: DC 5V/1A

Storage: Up to 128 Gb

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 1-25 fps

IR Distance: 5 m

Waterproof: IP53

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C


[Back to Table of Contents →](#)

View-Doorbell

[Register and inquire to learn more →](#)



1080P wireless HD video doorbell



One-way wake-up



Support wireless bell



Two-way intercom/ visitor call reminder



TF card storage



Certificate: CE

Field of View: 122°

Audio Communication: Two-way

Sales Area: Exclusive sales in Australia

Power Supply: 4pcs LR6 AA 1.5V

Storage Type: Micro SD Card/Cloud

Resolution: 1080P

Power Consumption:

Storage: Up to 128 GB

Image Compression: H.264

Night Vision: Support

Indoor or Outdoor Use: Indoor and outdoor

Image Frame Rate: 1-25 fps

IR Distance: 5 m

Waterproof: IP54

Image Sensor: 1/3" CMOS

Motion Detection: Support

Work Temperature: -20°C to 55°C

[Back to Table of Contents →](#)

Smart Lock R11

[Register and inquire to learn more →](#)



Minimalist design



Amazon Alex and Google Home access



Simple installation



Certificate: CE/RoHS/FCC

Door Thickness: 33-55 mm

Sales Area: Global

Material: Zinc Alloy/Aluminum Alloy/PC+ABS Fireproof Material

Unlock Method: Password/App/Fingerprint/Card

Dimensions: 152.5 mm x 60 mm x 75 mm

Battery: 2 AAA batteries

Work Temperature:

Endurance: Up to 1 year (unlock 10 times a day)

[Back to Table of Contents →](#)

Bluetooth Smart Lock (Q106)

[Register and inquire to learn more →](#)



Smartphone access



Low battery alarm



High compatibility



Long standby time



Certificate: CE/RoHS/FCC

Door Thickness: 33-55 mm

Sales Area: Global

Material: Aluminum Alloy/CNC oxidation/PMMA

Unlock Method: Fingerprint/Passcode/App/Mechanical Key

Dimensions: Front lock: 65.4 mm x 163.4 mm x 31.5 mm
Back lock: 72.4 mm x 188.4 mm x 45.5 mm

Battery: 4 AA batteries


Work Temperature: -40°C to 70°C

Endurance: 10 months with 10 times unlock a day

[Back to Table of Contents →](#)

LEIU Fingerprint Smart Lock for Home

[Register and inquire to learn more →](#)



Passage mode



Secure lock mode



Member management system



Access records query



Low battery consumption



Certificate: CE

Door Thickness: 35-65 mm

Sales Area: Global

Material: Aluminum Alloy

Unlock Method: Fingerprint/Passcode/IC Cards/App/Keys

Dimensions:

Battery: 4 AA batteries

Work Temperature:

Endurance: 300 days with 10 times unlock a day

[Back to Table of Contents →](#)

Smart Lock BT1

[Register and inquire to learn more →](#)



Easy installation



Ultra-thin design



3-in-1 Unlocking



Long battery life



Certificate: CE/RoHS

Door Thickness: 8-12 mm

Sales Area: Global

Material: Zinc alloy/Steel

Unlock Method: Code/App/Fingerprint

Dimensions: 76 mm x 76 mm x 12.5 mm

Battery: 2 AA batteries


Work Temperature: -10°C to 55°C

Endurance: 300 days with 10 times unlock a day

[Back to Table of Contents →](#)

LEIU Smart Door Lock with Apartment Management System

[Register and inquire to learn more →](#)



Passage mode



Secure lock mode for privacy



Apartment management system



Access records query



Low battery consumption



Certificate: CE

Door Thickness: 35-65 mm

Sales Area: Global

Material: Aluminum alloy

Unlock Method: Passcode/IC Cards/App/Keys

Dimensions:

Battery: 4 AA batteries

Work Temperature:

Endurance: 300 days with 10 times unlock a day

[Back to Table of Contents →](#)

Wi-Fi Smart Lock (E202)

[Register and inquire to learn more →](#)



Fingerprint for unlock



Smartphone to remote control



Low battery alarm



High compatibility for various types of doors



Long standby time



Certificate: CE/RoHS/FCC/REACH

Door Thickness: 40-100 mm

Sales Area: Global

Material: Aluminum alloy + paint + IML cover

Unlock Method: Fingerprint/RFID card/Passcode/App/Mechanical Key

Dimensions: 270mm x 63mm x 24 mm

Battery: 4 AA batteries

Work Temperature: -30°C to 55°C

Endurance: 12 months with 10 times unlock a day

[Back to Table of Contents →](#)

Smart Lock Box K141


[Register and inquire to learn more →](#)



"Hidden high tech" brand concept with a minimalist design



High compatibility for various scenarios



Support app management for fingerprint, door card and other functions



Certificate: CE/RoHS/FCC

Door Thickness:

Sales Area: Global

Material: Die casting Aluminum alloy

Unlock Method: Password/App/Fingerprint

Dimensions: 123 mm x 73 mm x 35 mm

Battery: 3 AAA batteries

Work Temperature:

Endurance: Up to 1 year (unlock 10 times a day)

[Back to Table of Contents →](#)

Bluetooth Fingerprint Lock (P22+)

[Register and inquire to learn more →](#)



Material: Zinc alloy



Fingerprint recognition, Bluetooth and Tuya app



Support up to 10 fingerprints recorded



Various applicables



Certificate: CE/RoHS/FCC

Door Thickness:

Sales Area: Global

Material: Zinc alloy

Unlock Method: Fingerprints/App

Dimensions: 90.6 mm x 53.7 mm x 25mm

Battery: Built-in 180 mAh lithium battery

Work Temperature:

Endurance: 90 days with 10 times unlock a day



From a Single Connection to an Interconnection of All Things to an Interconnected World



"Powered by Tuya ®"

Powered by Tuya is a label that shows interconnectivity. Devices can interact directly across different brands and categories and be controlled by just one app.

90,000+
Smart products

500+
Types

Top 1
In Product Diversity
Worldwide

10,000+

Powered by Tuya products are now in more than 10,000 retail channels





Tuya-Powered European and American Brands



Other International Brands Powered by Tuya



Tuya-Powered Chinese Brand





Security and Compliance



ISO 27001



ISO 27017



ISO 27018



CQC



EU GDPR



RoHS
Authentication



REACH
Authentication



Kaspersky
Safety Report



NCC
Safety Report



TRUSTe
Certified Privacy
Powered by TrustArc



CCPA



Intelligent
Hardware (IT)
Open Platform



FC
Authentication



CE
Authentication



SRRC
Authentication



Alliances





Contributor



Participant



Participant
Member





Tuya Smart Global Strategic Committee Leading the Global Business in the Ultra-globalization Strategy



Jerry Wang

Founder & CEO



Jeff Immelt

Former Chairman
and CEO of GE Group



Scott Sandell

NEA Global Management Partner



Carmen Chang

Chairman
and Head of NEA Asia




Jerome Chevalier

Quadrille Capital Co-founder
and Partner



Advanced Encryption Standards

Comprehensive protection at every stage





Privacy and Security Through the Entire Data Lifecycle

1 Discrete
Minimize collection of personal information

2 Full user rights
Perfect technology and management ensures users' right to know, access, correct, and transfer data

3 Safety guaranteed
Cloud platform full amount of user data secured Encrypted transmission and encrypted storage

4 Third-party cooperation
Ongoing TrustArc privacy and security cooperation

5 Fully compliant
Passed ISO27018 privacy security certification and GDPR/CCPA audit certification from third parties




Analysis



Save

Destroy



Collection

Transmission





Our Smart Products Can Be Found Around the World





vip@tuya.com
<http://expo.tuya.com/>

Connect directly with suppliers of 90,000+
Powered by Tuya smart product SKUs